



ProSys™ Instrument Care

A system of products for the disinfection, protection and identification of surgical instruments.



Disposable and Reusable Brushes & Wipes Page 2



Cleaning Spray Gun Page 10



Instrument Tip Protectors
Page 11



Instrument Foam Products
Page 15



Safety Products
Page 16



Bulb & Bladder Page 18



Instrument Bundling Products
Page 19



Medical Grade Paper Products Page 24



Optical Inspection Products
Page 25



Flexistem Instrument Cleaning System




No Waste, No Fuss with Flexistem Brushes

Flexistems are the disposable brushes that are easily customized to the cleaning needs of all small bore items. The nylon bristles on the Flexistem work like a brush to clean and safely dislodge deposits. Flexistems come in 6 different diameters and can be doubled over to increase the cleaning diameter. By dispensing exactly what is needed, the right length of brush is used. By disposing of the brush after use the chance for cross contamination is eliminated. Flexistem cleaners are available in two styles - Fine and Ultra-Fine for very small lumens.



Code No	Description	Length (feet)	Diameter (mm)
FLEX001	Soft Cleaner - Roll	40.0	3.0
FLEX002	Super Bristle - Roll	40.0	3.0
FLEX003	Double Clean Stem - 100 each	0.5	3.0
FLEX033	Polypropylene Flexistem - 50 each	1.0	3.0
FLEX004	Fleece Stem - 50 each	1.0	9.0
FLEX005	Fleece Stem - 50 each	1.0	12.0
FLEX006	Bristle Stem - 20 each	1.0	15.0
FLEX007	Bristle Stem - Roll	20.0	15.0
FLEX007A	Wavy Stem - 20Ft Roll (3 mm - 15mm dia.)	20.0	15.0
FLEX008	Dispenser and 1 pack of each		
FLEX009	Complete Refill Pack		



Code No	Description	Length (feet)	Diameter (mm)
FLEX021	Super Fine - Roll	6.0	3.0
FLEX022	Medium Fine - Roll	6.0	6.0
FLEX023	Super Brush - Roll	6.0	3.0
FLEX024	Medium Brush - Roll	6.0	6.0
FLEX025	Dispenser and 1 pack of each		
FLEX026	Complete Refill Pack		






Tube Brushes for Cleaning Lumens

From the ultra small to large, Healthmark has a tube brush that is the right size to clean your cannulated instruments. Choose from extra long - small diameter brushes or from the standard size tube brushes. All brushes are made of nylon bristles imbedded in twisted stainless steel wire. Each brush is sold individually. The innovative accessories include a wall mounted storage rack, and wall mounted soaking tray.

Code No	Description	Overall Length (cm)	Brush Diameter (mm)	Brush Part (mm)	Qty
4030	Standard Tube Brush	6.25	6.0	51	1
4031	Standard Tube Brush	6.25	10.0	51	1
52003-35	For Verres Needles	20.32	1.4	25	12
4032	Standard Tube Brush	21.59	13.0	76	1
4033	Standard Tube Brush	21.59	16.0	76	1
4034	Standard Tube Brush	21.59	19.0	76	1
TR350109	Special Tube Brush	30	2.0	20	3
TR350232	Special Tube Brush	30	3.0	20	3
TR350233	Special Tube Brush	30	4.0	20	3
TR350354	Special Tube Brush	30	5.0	20	3
TR350429	Special Tube Brush	30	6.0	20	3
52003-21-S	For 3mm Trocar & 6mm Biopsy Tongs	30	3.0	57	12
10-1660	Special Tube Brush	31	3.2	57	3
52003-25	For 8mm Trocar Sleeves	31	8.0	76	12
52003-27	For 10mm Trocar Sleeves	31	10.0	76	12
4035	Standard Tube Brush	32	25.0	102	1
4041	Standard Tube Brush	33	11.0	89	3
4036	Standard Tube Brush	33	32.0	102	1
4037	Standard Tube Brush	33	38.0	102	1
4038	Standard Tube Brush	33	44.0	102	1
4039	Standard Tube Brush	33	51.0	102	1
10-1664	Special Tube Brush	38	9.5	64	3
10-1668	Special Tube Brush	38	19.0	89	3
24-1-035	Cleaning Brush, White Nylon, 15 FR	41	4.8	64	6



Single Use Tube Brushes for Cleaning Lumens



Designed as single-use brushes, the Instrument Tube Brushes assist with the cleaning of internal lumens and channels of various sizes. Manufactured to facilitate maximum cleaning performance while ensuring compatibility with the channels of cannulated items, the nylon bristle brush tips connect to a stainless-steel wire and joins to a versatile acetal tubing, which provides adequate debris removal without causing scope damage. Offered in lengths of thirty and sixty centimeters, the Instrument Tube Brushes have the following different colored shafts that indicate the brush head diameters: White (2mm & 15mm), Black (4mm), Blue (6mm), Green (9mm), and Gray (12mm). The ITB Brushes are available for purchase in a package of thirty. Tested in accordance with ASTM F3275.

Code No	Description	Overall Length (cm)	Brush Diameter (mm)	Brush Part (mm)	Qty
ITB-30-2	Single-Use Tube Brush-White	30.00	2.00	2.00	30
ITB-30-4	Single-Use Tube Brush-Black	30.00	4.00	5.00	30
ITB-30-6	Single-Use Tube Brush-Blue	30.00	6.00	5.00	30
ITB-30-9	Single-Use Tube Brush-Green	30.00	9.00	5.00	30
ITB-30-12	Single-Use Tube Brush-Grey	30.00	12.00	5.00	30
ITB-30-15	Single-Use Tube Brush-White	30.00	15.00	5.00	30
ITB-60-2	Single-Use Tube Brush-White	60.00	2.00	2.00	30
ITB-60-4	Single-Use Tube Brush-Black	60.00	4.00	5.00	30
ITB-60-6	Single-Use Tube Brush-Blue	60.00	6.00	5.00	30
ITB-60-9	Single-Use Tube Brush-Green	60.00	9.00	5.00	30
ITB-60-12	Single-Use Tube Brush-Grey	60.00	12.00	5.00	30
ITB-60-15	Single-Use Tube Brush-White	60.00	15.00	5.00	30





Complete Cleaning Brush Kit

Complete set of the most popular brushes conveniently packaged in one kit. Purchase with Brush Storage Rack (#CCBRK-1) or without (#RPCBRK-1).

Г	Code No	MM. Brush Pt Dia. Length MM L	Overall ength CM			
Ιт	R350109	2.0 20	30			
Т	R350232	3.0 20	30			
T	R350233	4.0 20	30			
T	R350354	5.0 20	30			
	4041	11.0 89	33			
	4042	13.0 76	61			
1	TR03020	0.7 13	51			
T	R150221	5.0 76	61			
	130-1/4	6.4 102	53			
	130-3/8	9.5 102	53			
T	R160617	10.0 76	61			
	3181-P	nylon toothbrush style				
	3182-P	stainless toothbrush style	stainless toothbrush style			
	DIA001	Bipolar Forcep Cleaner	Bipolar Forcep Cleaner			
	BR001	Brush Storage Rack (optiona	Brush Storage Rack (optional)			

Code No	Description	Overall Length (cm)	Diameter (mm)	Brush Part (mm)	Qty
24-1-040	Cleaning Brush, White Nylon, 18 FR	41	6.0	64	6
24-1-055	Cleaning Brush, White Nylon, 45 FR	41	15.0	64	6
24-1-045	Cleaning Brush, White Nylon, 33 FR	41	11.0	64	6
24-1-050	Cleaning Brush, White Nylon, 36 FR	41	12.0	64	6
24-1-060	Cleaning Brush, White Nylon, 60 FR	41	20.0	64	6
24-1-007	Cleaning Brush, White Nylon, 3 FR	46	0.8	13	6
24-1-010	Cleaning Brush, White Nylon, 4.5 FR	46	1.5	13	6
24-1-015	Cleaning Brush, White Nylon, 5 FR	46	2.0	13	6
24-1-020	Cleaning Brush, White Nylon, 6.6 FR	46	2.3	13	6
24-1-025	Cleaning Brush, White Nylon, 8 FR	46	2.5	25	6
24-1-030	Cleaning Brush, White Nylon, 9 FR	46	3.3	25	6
52003-21	For 3mm Trocar & 6mm Biopsy Tongs	48		76	12
52003-23	For 6mm Trocar Sleeves	48	6.0	76	12
52003-33	For 3mm Biopsy Tongs	48	3.0	76	12
TR03020	Special Tube Brush	51	0.7	13	3
130-14	Special Tube Brush	53	6.4	102	3
130-38	Special Tube Brush	53	9.5	102	3
24-1-041	Cleaning Brush, White Nylon, 18 FR	61	6.0	64	6
24-1-046	Cleaning Brush, White Nylon, 33 FR	61	11.0	64	6
4042	Standard Tube Brush	61	13.0	76	3
TR360231	Special Tube Brush	61	2.5	76	3
TR150221	Special Tube Brush	61	5.0	76	3
TR150483	Special Tube Brush	61	7.0	76	3
TR160617	Special Tube Brush	61	10.0	76	3



Toothbrush Style Brushes



Code No	Description	Length (cm)	Width (mm)	Brush Part (mm)
200499	Double Brush/Stainless	18	13	13
200399	Double Brush/Nylon	18	13	13
200599	Double Ended Brass Brush	18	13	13
200399-S	Double Ended Brush - Packaged Sterile, 20 each	18	13	13
C-1002	brass (pack of 3 brushes)	18	38	13
221 SN	nylon & stainless	120	38	13
3182-P	stainless	20	38	13
3181-P	nylon	20	38	13



Bipolar forcep cleaner for safe thorough washing. May be assembled as double brush with automatic depth guard or as two single brushes with guard. Specially designed stainless steel bristles clean the most stubborn debris. The simple guard reduces the risk of damage to insulation. #DIA001.

Block Style Brushes



Code No	Description	Length (cm)	Width (mm)	Brush Part (mm)
869903N	nylon	6	76	32
GDS-1	nylon, w/ surgical nail brush	10	25	32
GDS-2	nylon	10	25	32
3090	stainless	25	41	13
4007	nylon	25	41	13




Reamer Brushes

Code No	Description	Length (cm)	Diameter (mm)	Brush Part (mm)
RB181603	Reamer Brush	46	16.0	76
RB300105	Reamer Brush	76	5.0	51
RB310306	Reamer Brush	79	6.0	76
RB310307	Reamer Brush	79	7.0	76

Trumpet Valve Brush

This double-ended brush is designed for cleaning the trumpet valves, ports and barrels of laparosopic instruments. The two diameter sizes are the most common sizes for these instruments.



Code No	Description	Length (cm)	Diameter (mm)	Brush Part (mm)
3770	Trumpet Valve Brush	15.6	4/12	7.0

Call:800-521-6224

Fax:586-491-2113

Brushes





Arthroscopic Shaver Brushes

This brush is designed for cleaning hard to reach areas of shaver instruments. Available in a variety of sizes.

Code No	Description	Length (cm)	Diameter (mm)	Brush Part (mm)
86-0340-1206	Shaver Brush	15	12.7	45
86-021201234	Shaver Brush	15	12.7	45
86-1234-0006	Shaver Brush	15	19.1	57
86-00004-0009	Shaver Brush	23	7.1	29
86-0516-1212	Shaver Brush	33	8.9	76

Foam Tipped Swab


Designed for cleaning equipment, the swab consists of a polyurethane foam tip with a polypropylene handle. The foam tipped applicator is produced with reticulated 100 ppi medical grade foam, is 13.49 mm in diameter and has a length of 25.4 mm. It is thermally bonded to a rigid rectangular polypropylene shaft that has a diameter of 3.18 mm, width of 4.95 mm and length of 127mm. The swab is non-linting and residue free, as well as soft and non-abrasive. It can be used with both IPA and DI water, or dry and can be purchased in a quantity of 50.

Code No	Description	
FTS-001	5 inch Foam Tipped Swap with polypropylene Hangel	50

Elevator Mechanism Brush

The Elevator Mechanism Brush is uniquely designed with a small-scale brush head is comprised of polyamide brush filaments attached to a plastic-coated wire core for efficient scrubbing of endoscope elevator wires. Developed with an ergonomic handle fashioned from recyclable polypropylene for intentions of controlled grip and precision movement, the adjoining flexible neck provides ease of access when cleaning endoscope elevator wires and the immediate area of the instrument channel opening surrounding it. Tested in accordance with ASTM F3275.

Code No	Description	Length (cm)	Diam (mm)	Brush Part (mm)
EMB-002	Elevator Mechanism Brush	5	3.0	10





Brushes

LTA Brushes

Designed to limit micro-scratching on instruments that cause corrosion, the brushes come with latex-free bristles and handles that are compatible with steam sterilization. Offering a range of diameter sizes and lengths to accompany numerous needs, our focus remains on the external and internal cleanliness of medical instruments.







Code No	Description	Length (cm)	Diam (mm)	Brush Part (mm)
570	Precison Ext Cleaning Brush	16		32
540	SPI Brush w/ Rigid Bristles	17		45
545	Double Ended Acetubular Brush	17		45
560	Precison Ext Brsh w/ Ridgid Bristles	17		43
560 CURVE	Acetabular Reamer Brush for Cross Design	17		43
565	Instrument Shaver Brush	20	8.0	
510	External Brush w/ Rigid Fibers	22		76
510C	External Brush w/ Short Rigid Fibers	22		76
520	External Brush w/ Medium Fibers	22		76
SU-510	Disposable Ext Brush -Rigid Fibers	22		76
SU-520	Disposable Ext Brush -Rigid Fibers	22		76
610-50-SP	G-Flex, 3-4 mm lumens	50	4.0	30
620-50-SP	G-Flex, 4-5 mm lumens	50	5.0	60
635-50-SP	G-Flex, 6-8 mm lumens	50	8.0	58



Brushes, Accessories & Lint Free Wipes





Endoscope Brushes

Long enough, small enough and flexible enough to clean your flexible endoscopes. Two innovative styles include the nylon brush safely scrubs the operating & suction channels. Also, brushes are available as a complete kit with both styles of brushes present. The kits include valve brushes. See price list for complete kit details. Tested in accordance with ASTM F3275.


Code No	Description	Olympus Color	Diam (mm)	Length (cm)	Brush Part (mm)
00711610	Control Head/Valve Cleaning Brush		10.0	8.5	47.0
CC-025-600	C-025-600 Endoscope Brush (2.0- 3.2 mm)		6.0	25	12.7
CC-100-100 Endoscope Brush (1.0 - 1.5 mm)			2.0	100	12.7
CC-165-100	Endoscope Brush (1.0 - 1.5 mm)		2.0	165	12.7
CC-200-200	C-200-200 Clear Channel Brush (1.6 - 2.4 mm)		1.6	200	12.7
CC-230-400	CC-230-400 Tapered Bristel Brush (1.7 - 2.5 mm)		1.7	230	12.7
CC-230-600 Clear Channel Brush (2.6 - 4.9mm)		Green/Yellow	6.0	230	12.7
CC-374-3770	Tapered Bristle Brush (3.7 - 4.3 mm)	Orange	3.7	230	12.7
CC-603	Jumbo Brush (3.8 - 4.2 mm)		7.4	230	12.7

Brush Storage Rack & Brush Soak Tray

The Brush Storage Rack is made of clear Plexiglas. It is easily mounted to any wall surface with two screws. Each Rack has 10 slots, each capable of storing several brushes. Brushes hang from their eyelets for guick and convenient storage.

The Brush Soak Tray is designed to be mounted to the wall below the Storage Rack at a length allowing the brush part to be completely submerged in the cleaning solution. The Soak Tray is one half the width of the Storage Rack. Two racks - hung at different heights, can be used to accommodate both shorter and longer brushes stored on the same Rack.

Code No	Description
BR001	Brush Storage Rack
BRS03	Brush Soaking Tray
BSK05	Washing Basket for Brushes




Lint-Free, Sterile Wipes & Durasponges

These low linting wipes, sterilie wipes and sponges are for use immediately after surgical equipment have been used, and prior to automated or manual disinfection to insure items are dry. These products will help insure that surgical instruments are properly reprocessed in compliance with the device manufacturer's instructions-for-use.





Code No.	Description	QTY
NLW001	Lint-Free Wipes 9" x 9"	200
NLW002	Lint-Free Wipes 12" x 12"	150
NLW003	Lint-Free Blue Wipes 12" x 12"	150
SSW-001	Sterilie Wipes, 9 x 9 inches	10
ESD904101	Sponge-Tubular	100
ESD905201	Sponge-Flat	200
TX59	Microdenier Wipe	100
	NLW001 NLW002 NLW003 SSW-001 ESD904101 ESD905201	NLW001 Lint-Free Wipes 9" x 9" NLW002 Lint-Free Wipes 12" x 12" NLW003 Lint-Free Blue Wipes 12" x 12" SSW-001 Sterilie Wipes, 9 x 9 inches ESD904101 Sponge-Tubular ESD905201 Sponge-Flat





Cleaning Spray Gun

Cleaning Spray Gun

Healthmark's new Spray Gun is the ideal tool for cleaning cannulas, endoscopes, glassware, pipettes, syringes, catheters, curettes, cystoscopes and a variety of other instruments, and articles used in surgery, clinics, laboratories, and doctor offices in other words, anywhere that the highest level of cleanliness is necessary. The cleaning process is quick, efficient and inexpensive, because the Spray Gun uses either water or pressurized air.

Use with Quick Connect

All attachments are connected to the Spray Gun by seating them on the safety cone located at the Spray Gun tip. Even high pressure cannot disconnect them. The gun grip is heat insulated.



Spray Gun Accessories

The Counter/Sink Top Rosette

A threaded hollow cylinder facilitates the installation of the Spray Gun in the sink or a countertop. The spray gun is then within easy reach. The tubing with the respective connector to the water or air supply is stored away underneath the counter or sink, thus keeping the work area clutter-free.

Code No	Description
6000	Spray Gun only
6000-6025	Spray Gun with plastic hose & 3/4" connector. Includes 1.5 meter hose (58 inches), 4230 spray tip and wall hook
6020	Spray Gun w/ 1.5 meter hose, 3/4" connector & complete tip set & rack
6000-6045	Spray Gun with plastic hose & 3/4" connector. Includes: 3 meter hose (117 inches), 4230 TIP spray tip and wall hook
5070	Table-top Rosette
80-00-44	Replacement Kit - Flow Control
5120	Plumbing 3/4" connector
5110	Plumbing 1/2" connector
4230	Universal Tip
4240	For drainage tube
4250	Spray jet for rinsing out glassware, etc.
5220	Tip attachments - complete set of all 8 sizes
80-10-12	"O" Rings, 10 per package
4270	For syringes and cannulae with record cone
5010	For measuring and blood pipettes
4260	For syringes and cannulae with Luer cone
5020	For bottles and Erlenmeyer flasks
5030	Water jet pump for suction
14RVT	Replacement hose for Spray gun
64-20810-00	Stainless Steel Spray Gun Kit

SELECTION OF TIPS

OLL		IN OI	TIF	,					
No.	Р	art No.		No.	Р	art N	lo.		
1		4230		6		4260)	/	8
2		4240		7		5020)	13	7
3	4250		8		5030	0	M		
4	4270			1-8		5220) 👭		
5		5010					- //	牌	
							li li		
		9	-	A		Л			
	1	A	M	4		4	T.	N.	
A	•			-		_	_		
		10.000	THE RESERVE			_		_	_
			ı —			ı		1	
	1	2	3	4	5	6	7	8	



One of the greatest advantages of the stainless steel spray gun is its resis-

tance to cold demineralized

water.The stainless steel spray gun can be to sterilized, thus the pistols can be used in the operating room or in the clean room

64-20810-00

Call:800-521-6224

Fax:586-491-2113

Shower Unit & Tip Protectors





Prerinse Shower Unit

High quality and easy to install pre-rinse shower unit for safe and effective manual pre-rinsing of gross contaminants for surgical instruments. It features polished chrome plated brass, single hole deck mount pantry faucet, 1/4 turn compression valves w/ check valves, lever handles w/ SANIGUARD® treatment, S/S flex hose w/ santoprene reinforced hose, stainless steel strain relief – patented, o-ring seals - patented, standard full spray pattern, 1.2 GPM spray face, hold open ring and hose hook, commercial specification grade, gaskets and seals rated commercial hot 180°F, 1/2" NPS female Inlets, operating temperature: 40 - 180°F, operating pressure: 15 - 125psi


Options include deck mount, splash mount, faucet add-on, wall bracket and an optional 36" long hose.

Code No	o Description		
300718	Deck Mounted Spray Unit		
300719	Splash Mounted Spray Unit		
301189	Faucet Add-on with 12" Spout		
301190	Wall Bracket		
313116	Pre-Rinse Hose 36" Length		
313323	Pre-Rinse Spray Valve Assembly		

Transparent, Vented, Stick-Free Tip Protectors

Transparent tip protectors feature the unique "channel" design that prevents moisture from being trapped between the protector and the instrument. These protectors are also vented - insuring that moisture quickly evaporates during the sterilization cycle. The see-through design means tips are easily visible. The channeled protectors will not stick to instruments. Sterigard tips are compatible with steam and EtO sterilization.

Code No	Diameter (mm)	Height (mm)	Width (mm)	Case
10001	1.6	19.0		100
10002	1.9	19.0		100
10003	2.7	19.0		100
10004	3.2	25.0		100
10005	4.7	25.0		100
10006	10.5	19.0		100
10007	1.6	9.5	25.0	100
10008	1.6	16.0	25.0	100
10009	3.2	25.0	25.0	100
10010	6.3	19.0		100





Tip Protectors

Duo-Vented Instrument Guards

New design holds the instrument firmly so that the jaw, box hinge and ends are "open" allowing for better sterilization. For use in steam sterilization.

Code No	Color	Height (mm)	Width (mm)	Qty
09-3-031	White Tint	1.5	19.1	50
09-3-032	Blue Tint	2.0	19.1	50
09-3-033	Green Tint	2.8	19.1	50
09-3-034	Red Tint	3.3	25.4	50
09-3-035	Yellow Tint	4.8	25.4	50
09-3-037	Orange Tint	1.5	9.7	50
09-3-040	Assorted sizes/colors			50




Cylindrical Style Instrument Guards

Provides enhanced sterilization capabilities with flow-through access vents. Also provides instrument protection during sterilization and handling. Ideal to use on lap instruments. For use in steam sterilization.

Code No	Color	Length (mm)	Diameter (mm)	Qty
09-7-011	For Veress Needles	20.3	3.0	50
09-7-012	For all 5mm Instruments, trocars, Probes, etc.	20.3	5.0	25
09-7-013	For all 5mm Instruments, trocars, Probes, etc.	43.2	5.0	20
09-7-014	For all 10mm Instruments, trocars, Probes, etc.	20.3	10.0	25
09-7-015	For all 5mm Instruments, trocars, Probes, etc.	57.15	5.0	20



Tray Anchors for Instrument Protection



Versatile and effective foam tray anchors are designed to secure instruments in a wide variety of instrument trays. Each anchor measures 18" long and can be easily trimmed to the exact length required. Secureinstruments between the pre-cut sections - locking them in place with a twist under the profile cut. For a wider instrument, quickly cut out one or more sections to create additional room. Compatible with steam and EtO sterilization.

Code No	Description
FTA-201	Pack of 16 strips
FTA-204	Pack of 64 strips

Call:800-521-6224


Fax:586-491-2113

Tip Protectors



Economical, Single-Use Tip Protectors

These tip protectors are easy to use, and are convenient because they accommodate a great variety of instruments. They are single-use and are very inexpensive. Their wide, smooth design makes them very easy to slide in and out of instrument pouches. Available in two materials, paper and see-through plastic. For use in steam sterilization.








Code No	Case Qty	Slot Dia. (mm)
PP-001	2000/box, paper	15
PP-002	1000/box, paper	15
PP-003	2000/box, paper	30
PP-004	1000/box, paper	30
PP-005	2000/box, paper	5
PP-006	1000/box, paper	5
PO-007C	200/box, plastic	15
PO-008C	200/box, plastic	30
15.100.055	Window Style	32




Tip Protectors

Mesh Style Tip Protectors

These lightweight, yet durable polyethylene single-use tip protectors are perfect for instruments such as rigid endoscopes which require vaporized hydrogen peroxide sterilization.





The mesh design allows for expansion to accommodate a wide range of sizes and configurations.

Code No	Description	Pkg
CSW-03-2.0	Mesh Style Tip Protectors	100
CSW-04-4.0	Mesh Sleeve Style Tip Protectors	100

Vented Instrument Guards

Vented Instrument Guards are designed to enhance sterilization and protection for instruments during the sterilization procedure. The flow-through vents allow full-impact sterilization yet they protect tips and edges from breaking and chipping. For steam sterilization.





Code No	Color	Width (mm.)	Height (mm.)	Dia. (mm.)	Clear Code No	Color
VNL-1-WT	White	1.5	19.1		VNL-1-CL	Clear
VNL-2-BL	Blue	2.0	19.1		VNL-2-CL	Clear
VNL-3-GN	Green	2.8	19.1		VNL-3-CL	Clear
VNL-4-RD	Red	3.3	25.4		VNL-4-CL	Clear
VNL-5-YL	Yellow	4.8	25.4		VNL-5-CL	Clear
VNL-6-MN	Maroon	10.4	19.1		VNL-6-CL	Clear
VNL-7-OR	Orange	1.5	9.7	25.4	VNL-7-CL	Clear
VNL-8-BN	Brown	2.0	16	25.4	VNL-7-CL	Clear
VNL-9-BK	Black	3.3	25.4	25.4	VNL-8-CL	Clear
VNL-MULTI	Asst. Colors & Sizes				VNL-CL-MULTI	Asst. Sizes - Clear

Call:800-521-6224


Fax:586-491-2113

Instrument Foam Products



Instrument Protection Foam

Foam pouches prevent costly damage to instrument tips caused by shifting during handling and transport. Pouches neither retain nor absorb moisture, are 100% porous allowing for full penetration of sterilant gases, and validated for use in steam and EtO sterilizers.





Code No	Description	Width (in)	Length (in)	Qty
FP-1001	Foam Pouch	3.75	10.06	50
FP-1002	Foam Tim Protector	1.00	1.50	50
FP-1003	Foam Pin Holder	20.00	10.00	50
FP-1004	Foam Corner Tip Protector	6.00	6.00	100
FP-1005	Instrument Foam Protector	21.00	12.50	50
FP-4600	Roll	12.00	108.00	3
FP-4800	Precut Sheets	12.00	10.00	50
FP-4850	Precut Sheets	12.00	16.00	25
FP-4880	Precut Sheets	12.00	20.00	25
FP-5200	Pocket w/ Belts	11.00	15.00	10
FP-5500	Multi-Pouch	13.00	17.00	10
FP-6200	Rigid Scope Pouch	2.00	20.00	50
FP-6210	Large Single Pouch	4.00	7.00	50
FP-6250	Small Single Pouch	2.10	7.50	50
SC6270	Camera/Fiber-Optic Cable Pouch	9.50	10.00	10
SC6314	Small Flared Scope Pouch	3.63	1.75	25

#PC6250 #PC6200 #PC6210 #PC5200


Plasma-Cel™ Instrument Foam Protection

This is the instrument foam protection material compatible with the Sterrad® Gas-Plasma Sterilization System. Other foam products used with steam are proven not to be compatible. The delicate and expensive instruments sterilized in the gas-plasma sterilizers need to be protected. Plasma-Cel™ Foam Products provide this protection. Plasma-Cel™ is available in rolls, pre-cut sheets, multipouch and single pouch design.

Code No	Description	Width(In)	Length (in)	Qty
PC4600	Roll	12.00	72.00	3
PC4800	Precut Sheets	12.00	10.00	50
PC4850	Precut Sheets	12.00	16.00	25
PC4880	Precut Sheets	12.00	20.00	25
PC5200	Pocket w/ Belts	11.00	15.50	10
PC5500	Multi-Pouch	13.00	17.00	10
PC6200	Rigid Scope Pouch	2.00	20.00	50
PC6210	Large Single Pouch	4.00	7.00	50
PC6250	Small Single Pouch	2.10	7.50	50




Safety Products



Instrument Repair Tags

Identify instruments requiring repair, sharpening or "good" with brightly color-coded tags. Tags are pre-printed with "Repair," "Sharpen" and "Good." Tags are steam, EtO and Plasma autoclavable. Once tags are applied, they must be broken to be removed. Replace difficult to see safety pins and suture. Packaged 100 tags per box.

Code No	Description	
994-G	Green - Good	
994-R	Red - Repair	
994-S	-S Yellow - Sharpen	
5030 WT CLN	White Pulltight - "Clean"	



Scissor Tests

These squares provide a critical test for scissor sharpness. They come packaged in pre-cut squares or on a 6 yard roll. Available in 2 thicknesses.

Code No	Material	Length (inches)	Width (inches)	Gauge	Qty
LT-130	Latex-Free	5.00	5.00	6.00	1
RT608	Latex	216.00	5.50	8.00	1
YT606	Latex	216.00	5.50	6.00	1



The Safe-to-Touch Indicator: Hot Spot

Know when it is safe to grab a heated item with the temperature sensitive TempaChek™ HotSpot. When an item is hot to the touch (120°F), the HotSpot is black. When the item has cooled below 115°F, the HotSpot will turn green, letting staff know the item can be handled without use of heat mitts.

Code No.	Description	Qty
HS-101	Hot Surface Safety Indicator	50

Call:800-521-6224

Fax:586-491-2113

Heat Mitts & Gloves





Insulated Gauntlet

Mitt style which is ideal for removing hot trays and racks from autoclaves. Protective insulation protects the user from hot surfaces. Quality stitch construction that is made in the U.S.A. Attractive gold color. Rated to 350°F.

Code No	Description	Length (in.)
75574	Insulated Gauntlet (pair)	17.00
75524	Insulated Gauntlet (pair)	24.00
73224	Insulated Gauntlet (pair)	13.00



Shark Tooth Mitt™ & Heat Gloves

Grip hot and wet items safely and securely with the Shark Tooth Heat Mitts™ and Heat Gloves. They are made of heat deflecting silicone, insulating the user from hot instruments, trays and equipment. They are sterilizable, washable, and resistant to temperatures from -40°F to 446°F.

Code No	Description	Length (in.)
SLG-002	Shark Tooth Heat Mitt (each)	17.00
SLG-001	Shark Tooth Heat Mitt (each)	14.00
09484	Silicone Heat Glove	16.90
09368	Silicone Heat Glove	13.70



Seamless Autoclave Gloves

Styled in a continuous gauntlet design. Temperature rated to 450°F (5 seconds). Convenient ambidextrous design. The seamless outer glove is constructed of 100% cotton with exclusive high-density loop structure for greater protection.

Code No	Description	Length (in.)
JB-2636	Seamless Autoclave Gloves	12.50



Terry Cloth Autoclave Gloves

Repeated washing won't weaken protective properties of these gloves. The soft 100% cotton absorbs moisture and provides long-lasting comfort for frequent wear. The Gauntlet style cuff comes in two lengths: 5" for hand and wrist protection; and 11" for up-to-the-elbow-protection. One size fits all. Rated to 250°F.

Code No	Description	Length (in.)
JB-422-5	Terry Cloth Autoclave Gloves (pair)	5.00
JB-422-11	Terry Cloth Autoclave Gloves (pair)	11.00



Bulb & Bladder, Endo Parts Bag



Pictured is a Reusable Bulb & Bladder after patient use - almost impossible to clean!

Disposable Bulb & Bladder Assembly

- Helps eliminate risk of cross contamination
- 100% Latex Free, no filter required
- Cost effective compared to lengthy processing time on reusable's
- Assembled in the U.S.A.
- · Packaged either sterile or non-sterile.



Code No.	Description	Qty
D30200-210	CLEAN (non-sterile) Disposable Bulb & Bladder Assembly	4
D30200-210S	STERILE Disposable Bulb & Bladder Assembly	5

Valve Bags





The Green Mesh Valve Bag and the Secure Valve Bag a tough, lightweight plastic mesh bag helps ensure the traceability of these critical endoscope components after reprocessing by keeping the valves and scope together. Simply place the valves in the bag then tie to the scope. The scope is now ready for the next procedure. Once in the procedure room remove the valves and dispose of this inexpensive single use item. The Secure Valve Bag features a tamper evident seal.

Code No.		QTY
VB604 GN	Valve Bag-Green	100
SVB604 WT CLN	Secure Valve Bag-White-with Clean Lok	100
SVB604 WT	Secure Valve Bag-White-with Num Lok	100

Call:800-521-6224

Fax:586-491-2113





Pro-Ties[™] and Silicone Cable & Instrument Ties Bundling System for Instrument Sterilization

Made from 100% medical grade silicon that stretches up to three times its original size, Pro-Ties[™] help simplify the process of bundling surgical instruments for sterilization while ensuring complete asepsis compliance. Pro-Ties[™] will not stretch out of shape, rust, or breed bacteria. 6 ties per box.

Silicon Cable & Instrument Ties are manufactured to tightly secure a multitude of medical devices. They are heat resistant up to 275 °F. Available in a variety of lengths and colors, these ties are offered in three styles; Cynched, Cynched Wide or Flat. 25 per box



Pro-Ties	
Code No	Color
310-054	Yellow
310-053	Blue
310-052	Green
310-051	Red

	Code No	Description		
	09231	Clear Cable Ties, 4.3 In Cyn		
09239 Clear Cable		Clear Cable Ties, 8.3 In Cyn		
Į	09246	Clear Cable Ties, 2.4 In Cyn Wide		
1	09373	Clear Cable Ties, 4.3 In Cyn Wide		
1	09282	Clear Cable Ties, 7.5 In Cyn Wide		
l	09039	09039 Clear Cable Ties, 11.8 In Flat		
09139 Clear Cable Ties, 19.6 In Flat				



LBK Weighing Scale

LBK scales offer quick and easy weighing right out of the box. The low profile design is compact and allows these scales to be used where you need them. Simple to use with only 5 keys, which are color coded to highlight the most used keys for faster operation. Basic weighing tasks are quick and easy with the LBK weighing scales. And with percentage weighing, basic parts counting and 5 weighing units the LBK can also be used for more complex weighing functions if needed.

Code No	Capacity	Readbility	Platform
LBX 30	65lb/30kg	0.01lb/5g	9.8×7.1" / 250×180mm

Clamps & Spreaders for Effective Cleaning of Bone Forceps and with Ring Handles

When instruments are closed, they are closed to cleaning. Water and detergent can not reach all the surfaces of the instrument - those that are most often likely to harbor contaminates. AAMI, AORN, device manufactures and others strongly recommend that instruments be kept in an open position when cleaned, to insure maximum exposure to the cleaning solution.

These band clamps made of stainless steel with silicone covering ensure that the joints and jaws of bone forceps remain open. The spreader for instruments with ring handles that cannot be dismantled can be cleaned more efficiently in the washer-disinfector. The jaws remain open during the cleaning process, thus assuring thorough cleaning.

Code No	Length	Description
20411	50mm	yellow
20408	60mm	blue
20406	70mm	red
20412	80mm	green
20407		spreader

Call:800-521-6224





More Effective Cleaning with the Wash Cradle

When hinged instruments are closed, they are closed to cleaning. Water and detergent can not reach all the surfaces of the instrument - those that are most often likely to harbor contaminates. AAMI, AORN, device manufactures and others strongly recommend that instruments be kept in an open position when cleaned, to insure maximum exposure to the cleaning solution.

To insure open instruments, many facilities will utilize wide stringers to hold instruments open during the cleaning process. Like wide stringers, the Washer Cradle is designed to hold surgical instruments in the open position to promote effective cleaning in the automated washer with a minimum amount of effort.

Hinged instruments are held open, exposing box locks to water and cleaning solution. Instruments are also better exposed to heated air drying, promoting quicker dry times. Staff are safer too, as sharps are clear, visible and easily accessible. Assembly on the clean-

side is enhanced with easy access to instruments.

Code No	Length	Width	Height
IWC-001	11.50	2.00	3.75



Adjustable Stringer

Stringers used in the preparation of instruments for sterilization are usually 2" - 3" in width. Stringers for use in decontam are typically 5" - 6" in width to maximize the openness of the instruments to the spray action of the washer. This has created the need for double inventory of stringers - until now. This new tool adjusts to the size of the instrument for more effective cleaning of hard to reach areas containing bioburden, and can also

be adjusted to the optimal width for placement of instruments inside a tray.

Code No	Description		
AJS 8	8" long x 2.5" - 5.5" wide		
AJS 13	13" long x 2.5" - 5.5" wide		
AJS 17	17" long x 2.5" - 5.5" wide		



EasyStringer™

This innovative instrument management tool is the invention of a career Sterile Processing Professional. The solid Plexiglas base is slotted to accept a standard instrument stringer. To use, place the stringer in the base and string one instrument upon another - stacking them up on the base. When full close off the stringer, lift it out of the base and place in use. The EasyStringer™ will help your staff be more efficient by simplifying the process of stringing instruments!

Code No	Description		
ES-100	6" Wide EasyStringer Base		
ES-109	9" Wide EasyStringer Base		
ES-112	12" Wide EasyStringer Base		

Call:800-521-6224

Fax:586-491-2113













Stringers

Manufactured high quality stainless steel, this very complete line of stringers includes 7 Styles and a plethora of sizes. Choose from the innovative designs and enjoy exceptional pricing on these stringers.

Code No	Description	Width (in)	Rod Diameter	Length (in)
10 1770	Dunt Instrument Holder		(in)	
10-1770 IWC-001	Bunt Instrument Holder Stainless Steel Wash Cradle	2.00	3.75	11.50
ST2.64C	Crescent Style	2.50	0.25	6.00
ST2.84C	Crescent Style	2.50	0.25	8.00
ST2.104C	Crescent Style	2.50	0.25	10.00
ST2.124C	Crescent Style	2.50	0.25	12.00
ST2.144C	Crescent Style	2.50	0.25	14.00
ST2.164C	Crescent Style	2.50	0.25	16.00
ST2.184C	Crescent Style	2.50	0.25	18.00
ST3-64C	Crescent Style	3.50	0.25	6.00
ST3-84C	Crescent Style	3.50	0.25	8.00
ST3-104C	Crescent Style	3.50	0.25	10.00
ST3-124C	Crescent Style	3.50	0.25	12.00
ST3-144C	Crescent Style	3.50	0.25	14.00
ST3-164C	Crescent Style	3.50	0.25	16.00
ST3-184C	Crescent Style	3.50	0.25	18.00
HE8-0006	EZ Lok Double-Hinge Bar	2.50	0.19	6.00
HE8-0008	EZ Lok Double-Hinge Bar	2.50	0.19	8.00
HE8-0010	EZ Lok Double-Hinge Bar	2.50	0.19	10.00
HE8-0012	EZ Lok Double-Hinge Bar	2.50	0.19	12.00
HE8-0014	EZ Lok Double-Hinge Bar	2.50	0.19	14.00
HE8-0016 ST55-8	EZ Lok Double-Hinge Bar Pin Locking Stringer	2.50 5.50	0.19	16.00 8.00
ST-6	Pin Locking Stringer	2.75		6.00
HE2-0006	Hairpin Style, U-Shaped	2.70		6.00
HE2-0008	Hairpin Style, U-Shaped	2.50		8.00
HE2-0010	Hairpin Style, U-Shaped	2.50		10.00
HE2-0012	Hairpin Style, U-Shaped	2.50		12.00
HE2-0014	Hairpin Style, U-Shaped	2.50		14.00
HE2-0016	Hairpin Style, U-Shaped	2.50		16.00
HE2-0018	Hairpin Style, U-Shaped	2.50		18.00
ST-064U	Hairpin Style, U-Shaped	2.50	0.25	6.00
ST-084U	Hairpin Style, U-Shaped	2.50	0.25	8.00
ST-104U	Hairpin Style, U-Shaped	2.50	0.25	10.00
ST-124U	Hairpin Style, U-Shaped	2.50	0.25	12.00
ST-144U	Hairpin Style, U-Shaped	2.50	0.25	14.00
ST-164U	Hairpin Style, U-Shaped	2.50	0.25	16.00
ST-184U	Hairpin Style, U-Shaped	2.50	0.25	18.00
ST3-06U	Hairpin Style, U-Shaped	3.50	0.19	6.00
ST3-08U	Hairpin Style, U-Shaped	3.50	0.19	8.00
ST3-10U	Hairpin Style, U-Shaped	3.50	0.19	10.00
ST3-12U	Hairpin Style, U-Shaped	3.50	0.19	12.00
ST3-14U	Hairpin Style, U-Shaped	3.50	0.19	14.00
ST3-16U	Hairpin Style, U-Shaped	3.50	0.19	16.00











Code No	Description	Width (in)	Rod Diameter (in)	Length (in)
ST3-18U	Hairpin Style, U-Shaped	3.50	0.19	18.00
ST3-064U	Hairpin Style, U-Shaped	3.50	0.25	6.00
ST3-084U	Hairpin Style, U-Shaped	3.50	0.25	8.00
ST3-104U	Hairpin Style, U-Shaped	3.50	0.25	10.00
ST3-124U	Hairpin Style, U-Shaped	3.50	0.25	12.00
ST3-144U	Hairpin Style, U-Shaped	3.50	0.25	14.00
ST3-164U	Hairpin Style, U-Shaped	3.50	0.25	16.00
ST3-184U	Hairpin Style, U-Shaped	3.50	0.25	18.00
ST5-064U	Hairpin Style, U-Shaped	5.00	0.25	6.00
ST5-084U	Hairpin Style, U-Shaped	5.00	0.25	8.00
ST5-104U	Hairpin Style, U-Shaped	5.00	0.25	10.00
ST5-124U	Hairpin Style, U-Shaped	5.00	0.25	12.00
ST5-144U	Hairpin Style, U-Shaped	5.00	0.25	14.00
ST5-164U	Hairpin Style, U-Shaped	5.00	0.25	16.00
ST5-184U	Hairpin Style, U-Shaped	5.00	0.25	18.00
HP6-12U	Hairpin Style, U-Shaped	6.00	0.19	12.00
10-1780	Saunders Instrument Rack	4.00		5.75
HE1-0006-W	Weinstein Instrument Holder	2.50		6.00
HE1-0008-W	Weinstein Instrument Holder	2.50		8.00
HE1-0010-W	Weinstein Instrument Holder	2.50		10.00
HE1-0012-W	Weinstein Instrument Holder	2.50		12.00
HE1-0014-W	Weinstein Instrument Holder	2.50		14.00
HE1-0016-W	Weinstein Instrument Holder	2.50		16.00
HE1-0018-W	Weinstein Instrument Holder	2.50		18.00
10-1805	Weinstein Instrument Holder	3.00		11.25
10-1775	Weisenbach Instrument Forceps			6.00
10-1776	Weisenbach Instrument Forceps			13.50
USPRS-6	Spring Instrument Stringer	2.50		6.00
USPRS-8	Spring Instrument Stringer	2.50		8.00
USPRS-10	Spring Instrument Stringer	2.50		10.00
USPRS-12	Spring Instrument Stringer	2.50		12.00
USPRS-14	Spring Instrument Stringer	2.50		14.00
USPRS-16	Spring Instrument Stringer	2.50		16.00

Ultrasonic Cleaning Pouch



The Ultrasonic Cleaning Pouch is designed to keep expensive small parts and instruments from being lost during the cleaning process. It is made of a revolutionary stainless steel mesh; which is flexible, durable, and allows maximum ultrasonic cleaning penetration. Available in three sizes.

Code No.	Width	Length
8001	8.00	5.00
8002	12.00	8.00
8003	18.00	8.00

Call:800-521-6224

Fax:586-491-2113


Instrument Washer Basket





Wire Mesh Washer Baskets

Code No	Description	Width	Length	Height
75.0005.3	5.0005.3 Wire Basket		9.875	2.000
75.0004.6	Wire Basket	9.500	9.875	2.750
75.0005.9	Wire Basket	18.875	9.875	2.000
75.0004.8	Wire Basket	18.875	9.875	2.750
75.0004.9	Wire Basket	18.875	9.875	4.000
75.0091.2	Cover	9.500	9.875	
75.0091.1	Cover	18.875	9.875	



Large Washer Baskets

These big baskets are made for use in instrument washers when cleaning big items. Made of top quality German stainless steel which will withstand repeated washings.

Code No	Description	Width	Length	Height
72.1400.5	Large Washer Basket	23.667	15.750	4.000
72.1400.6	Large Washer Basket	23.667	15.750	7.875



Nic-Nac Washer Baskets

These trays are ideal for safely washing small items that often get lost in instrument washers. The small and numerous perforations ensure proper water penetration.

Code No	Description	Width	Length	Height
NIC000	Round Nic-Nac Basket		3.000	3.000
NIC001	NIC001 Round Nic-Nac Basket		4.000	1.250
21000-H	Hinged Parts Basket	3.000	1.000	1.000
NIC002	Nic-Nac Basket	7.000	5.000	1.000
NIC003	Nic-Nac Basket	7.000	9.000	1.000





Nic-Nac Washer Balls & Washing Sleeves

These stainless steel wire mesh balls and washing sleeves are great for small items that often get lost and/or blown around inside the washer. The mesh design insures water will effectively reach instruments for proper cleaning.

Code No	Description	Diam Inch
NIC MICRO 1	Round Nic-Nac Bskt w/handle (3/pkg)	1.750
NIC MICRO 2A	Round Nic-Nac Basket (3/pkg)	2.000
NIC MICRO 2	Round Nic-Nac Basket (3/pkg)	2.500
NIC MICRO 3	Round Nic-Nac Basket (3/pkg)	3.000
07433	SS Washing Sleeve	2.160
07436	SS Washing Sleeve	8.660
07439	SS Washing Sleeve	15.160
07441	SS Washing Sleeve	19.480




Medical Grade Paper Products

Comply with AAMI Guidelines by Using these 100% Medical Grade Paper Bags to Separate and Protect Small Items

AAMI Standard ST79 makes clear, utilizing paper/poly pouches to separate small items in a wrapped or filtered instrument tray is forbidden. This is because the poly laminate is a barrier to

sterilization and being water repellent may contribute to wet pack. These paper bags are the ideal and appropriate alternative. They are made of 100% medical grade paper, which is porous to sterilant. Further, the moisture absorbent paper helps to dissipate





1	Code No	Description	Width	Length	Height	Case
	PB1	Paper Bags	3.50	6.00	2.00	1000
	PB2	Paper Bags	4.00	7.00	1.00	1000
	PB3	Paper Bags	4.70	10.00	2.00	1000
1	PB4	Paper Bags	5.50	10.00	3.00	1000
	PB5	Paper Bags	5.50	13.00	2.00	500
	PB7	Paper Bags	7.00	15.00	3.75	500
	PB8	Paper Bags	7.50	13.00	2.50	500
	PB9	Paper Bags	9.75	15.00	4.00	250
	PB10	Paper Bags	11.75	20.75	3.00	250

Time Out Bag

Check out our NEW Time Out Bag. This bag is validated for use inside of instrument trays and containers to hold separate items, in compliance with AAMI ST79. Best of all, printed clearly on the bag is the message "Time Out" alerting staff to take a critical pause during surgery preparation. This paper bag is made of 100% medical grade paper, which is porous to sterilant. Further, the moisture absorbent paper helps to dissipate condensate helping to fight wet pack.

Code No	Description	Width	Length	Height	Case
PBTO	Time Out Bag	5.00	13.00	2.00	500





Medical Grade Paper Multi-Pouch Instrument Organizer

Manufactured of medical grade paper, these multi-pouch packs are the convenient and appropriate solution to organizing and protecting instruments within a sterilization tray or basket. The paper is completely porous to the sterilant allowing proper sterilization to occur. Unlike open-cell foam, instrument tips will not get caught in the pouch. Best of all, the medical-grade paper is absorbent and helps to fight wet-pack.

Code No	Description	Width	Length	Case
PBR-15	7 pouches, 1.5" wide	10.00	14.00	100
PBR-35	4 pouches, 3.0" wide	10.00	14.00	100

Call:800-521-6224

Fax:586-491-2113



Optical Inspection Devices: Extending the Visual Standard

AAMI ST79 recommends the use of visual aids to improve post cleaning inspection of instruments. See what you have been missing when it comes to damaged or soiled surgical instruments with these professional quality optical inspection tools that are as powerful as they are affordable.

Adjustable Arm Magnifier

- · Crystal Clear 5" 3 Diopter (1.75x) lens mounted on a silver-grey metal housing.
- · Fluorescent bulb is protected with a clear plastic diffuser/splash quard.
- · Heavy Duty Adjustable Arm. When fully extended the arm has a reach of 35".

Comes with mounting clamp but can also be mounted directly on the working 26501-DSG surface.

 Operates at 115V-AC and comes with a 5-foot power cord.

· C-clamp for mounting on desk, workbench, table, etc.

WideView Magnifying Lamp

- 7.5" x 5.2" Rectangular crystal clear, 3 diopter lens for distortion free viewing
- · Mar resistant housing
- Spring balanced arm with a 35" reach that can be set in any position
- · Comes with 5 foot, cord and a mounting clamp
- · Operates at 110 V
- · C-clamp for mounting on desk, workbench, table, etc.



26505-SIV

ProVue Touch LED Magnifying Lamp

free

26508-LED2

- 108 energy saving white LEDs provides s h a d o illumination. (Lumen: 420LM).
- (Color Temperature: 6400K).
- Touch Sensitive 3 stage on-off switch & for controlling light intensity.
- Large 7" Crystal Clear 1.75x (3 diopter) lens

Call:800-521-6224

- Lens can be easily removed and replaced when necessary.
- · Lens cover included for protection.
- 35" industrial grade spring balanced enclosed arm. Stays put in any position.

DeskBrite[™] 4" LED Magnifier

The DeskBrite™ is a 2x LED Magnifier Desk Lamp with a 5x power spot lens.

The DeskBrite™ LED Magnifier Desk Lamp features two super-bright LED lights, while it's large 4" crystal-clear acrylic lens provides a large viewing area for any hobby.

The DeskBrite™ LED Magnifier Desk Lamp also has a flexible neck

that allows you to position the Magnifier where you need it.

The DeskBrite™ LED Magnifier Desk Lamp plugs into any standard outlet or can be powered by using 3 AA batteries (not included).



www.HMARK.com

DB-LM-20

Fax:586-491-2113



OptiVisor

Soft pliable wide headband for ultimate comfort. Easily adjusts to any head size. The self locking design remains

in place. Glass lens insures high quality image. Magnification is 3.5x. Working distance is 4". Weight is 0.6lbs.

26106

Magic Touch

Designed for detailed inspection, the 3.75 x 3.75 x 1.8 Inch Magic Touch has a magnification of 3x and weighs



0.45 lbs. Equipped with three LED lights, the Magic Touch magnifier is a touch activated unit that features an on/off switch for uninterrupted lighting. The optional stand is a perfect accesory to keep your hads free.

RNDMAG-1 RNDMAGSTND-1

Made In America LED Magnifiers

These innovative Made In America Magnifiers, employs next generation "surface mount" LEDs that produce more light with less glare, consume less power and last longer. The light output of our 8-watt LED array is comparable to a 150-watt halogen. The blended white light is easy on the eyes and the output level is adjustable - simply and precisely - for maximum operator comfort. 2x magnification.

Your investment in new LED technology quickly pays for itself through lower operating costs, longer lighting lifespan and improved productivity. A lower total cost of ownership provides the greenest solution of all!



4x LED Magnifier

These Magnifiers feature LED technology and 4x magnification. The built in stand allows you to be hands free while using this optical device. Can be used in compliance with robotic intrument IFU's.



Pocket Microscope

MG10081-8



The MG10081-8 pocket microscope makes it easy to view and study small instruments under high magnification. With a 20x to 40x zoom the microscope can be used to identify if the instrument has been properly cleaned, is in good condition and is ready for clinical use. The super bright LED illumination makes the MG10081-8 a convenient and simple tool to evaluate the readiness of surgical instruments for use.

Pocket Magnifier

Designed to rest comfortably in the eye socket, this is the ideal solution for close-up inspection of surgical instruments for possible damage or residual soiling after reprocessing. The



4x magnification is perfect for up close inspection 26043 of devices. Lightweight, but durable, with a rubber cushion for additional comfort. The very affordable price makes this a must have tool.

Handheld Multi-Magnifier

Designed to comply with AAMI ST91, the Handheld Multi-Magnifier is a useful tool to perform detailed visual inspection of flexible endoscopes that allow the assess-




ment of external surfaces. The metal coated unit is 115 x 40 x 10mm (4.5 x 1.5 x 0.4 inches) and includes three 1.5v batteries. This unique item features magnifications of 3x 10x, and 55x lenses, five

MAG-310 LED lights.

Call:800-521-6224


Fax:586-491-2113





USB Microscope

The MICR007 helps ensure quality control for the CSSD by visually inspecting reprocessed instruments. This USB microscope has a 2M pixels LENS and CMOS sensor along with a magnification ratio of 5x-270x. The device comes with an aluminum stand which makes inspection much easier by freeing up both hands.



Showing the inside a suction


The 8mm diameter design

allows inspection in some cannulated items, including orthopedic shavers. The camera function used with the supplied software, allows you to capture still and video images when inspecting the instruments.

Loup Set with Smartphone Adapter

Manufactured for close visual inspection of medical devices, the ergonomically designed 4-piece eye loupe set and smartphone adapter are made from ABS plastic and rubber. Engineered to rest comfortably in your eye socket, the eye loupes can be used manually by hand or with a phone by connecting the eye loupes to the smartphone adapter and attaching it to the cellular device by placing it in front of the camera to capture pictures and videos for documentation purposes. The unique four eye loupes come in the following levels of magnification: 4.5x, 6.5x, 8x and 13x. The Loupe Set with Smartphone Adapter comes as complete set, with the 4 loupes and the Smartphone Adapter.

Call:800-521-6224



www.HMARK.com

Code No	Description	QTY
LUP-004	Loupe Set with Smartphone Adapter	1

Fax:586-491-2113



Flexible Inspection Scope




Delivering unparalleled quality of image in an incredibly convenient and robust design. The scope is designed with a blue handle that includes a distal tip composed of a light source and camera lens at the end of a 110cm flexible blue shaft, which features white graduation



A look inside a shaver with the scope

Designed to inspect internal channels of 2.0mm in diameter or larger, the Flexible Inspection Scope is the perfect tool to get a visualization of any potentially soiled or damaged item. The Starter Kit software is included, which installs on Windows 7, 8 & 10 PC's which powers the Flexible Inspection Scope and allows for viewing, recording and documentation. The starter

kit includes the scope, USB Drive, soaking cap and case.



The scope fits in the smallest of lumens

The Decontam Keyboard

Ideal for use on the dirty side. Type without taking off your gloves. Easy to use and clean. Compatible with a variety of cleaning products.

KBM-001

